

*Aerosol and Proton Transfer
Mass Spectrometry in the ASP
from Mexico City
to Oklahoma City*

M. Elizabeth Alexander *et al*

The Time Evolution of Aerosol Composition at the T1 Ground Site during the MAX-MEX 2006 Field Campaign

M. Elizabeth Alexander, Chen Song, YuLong Xie, Xiao-Ying Yu, Jerome D. Fast, Carl M. Berkowitz, & Rahul A. Zaveri
Pacific Northwest National Laboratory

Manjula Canagaratna, Timothy B. Onasch, John T. Jayne, & Douglas R. Worsnop
Aerodyne Research, Inc.

Eben Cross and Paul Davidovits
Boston College

Greg Huey
Georgia Tech

Delphine K. Farmer & Ronald C. Cohen
University of California, Berkeley

Dan Welsh-Bon, Carsten Warneke, & Joost de Gouw
National Oceanic and Atmospheric Administration

- CToF AMS deployed by PNNL at T1 site outside Mexico City during 2006 MAX-Mex campaign in conjunction with MILAGRO

- Aerosol size and composition in conjunction with complimentary aerosol and trace gas measurements




- Same instrument used to make laser light scattering single particle measurements (see poster by Cross *et al*)

- Analysis of AMS organic data by Positive Matrix Factorization (PMF) (see related posters by Canagaratna, Onasch)

- PMF component OOA, behavior consistent with aged, oxidized aerosol – correlates with photochemical age. HOA does not – consistent with primary emission component

- BBOA component correlates with acetonitrile(CH_3CN) and CO, both markers for biomass burning, not clearly delineated by $\text{CH}_3\text{CN}/\text{CO}$ ratio – see related posters

Acknowledgements – We thank Ingrid Ulbrich and Jose Jimenez for the PMF software. Support for this work was provided by the Department of Energy Atmospheric Science Program and the Environmental Molecular Sciences Laboratory at The Pacific Northwest National Laboratory.



Measurement of the VOC Environment from an Aircraft Platform during an Aerosol-Cloud Interaction Study Near Oklahoma City

A23D-1573





M. Elizabeth Alexander, Matt Newburn, John Hubbe,
Larry Berg, and Carl Berkowitz
Battelle Pacific Northwest National Laboratory
Richland, WA

Yin-Nan Lee, Stephen Spingston and Gunnar
Senum. Larry Kleinman and Peter Daum
Brookhaven National Laboratory Upton, NY

Elizabeth Andrews - National Oceanic and
Atmospheric Administration, 325 Broadway,
Boulder, CO

John Jayne – Aerodyne Research, Inc.
Billerica, MA

- PTR-MS deployed by EMSL and Atmospheric Sciences at PNNL during 2007 CHAPS campaign in conjunction with CLASIC
- CHAPS primary purpose to study cloud aerosol processing, VOC's provide markers of emissions sources and indicators of SOA production
- Few VOC's consistently observed above detection limit (~10 ppt). Major biogenic(?) species were isoprene and oxidation products MVK/MACR and anthropogenic emissions indicated by benzene, toluene etc
- No correlation with water indicated by Gerber probe – minimal VOC-cloud interaction
- Anthropogenic emissions well-correlated with urban plume, as indicated by CO
- Distinct isoprene plume not correlated with urban emissions. Concentrations high for biogenic source, no other biogenic indicators – anthropogenic source? (tire production)
- Evidence of new particle formation correlated with isoprene plume – formation of SOA observed in laboratory but not yet in field - future studies?



We thank the DOE for support through the Atmospheric Sciences Program and the PNNL Environmental Molecular Sciences Laboratory

**Thank you to Bob Hannigan and G1 crew for keeping us safe
in all those “Puffy Q’s!”**



Mission Accomplished!